

## GEOMETRIDAE – Liste von ähnlichen Arten

K & R.Nr.	NAME nach KARSHOLT & RAZOWSKI (1996)	Ähnliche Art(en)
7515	<b>Archiearinae</b>	
7517	<i>Archiearis parthenias</i> (Linnaeus, 1761)	<i>Archiearis notha</i> , <i>A. puella</i> , <i>A. touranginii</i>
7518	<i>Archiearis notha</i> (Hübner, 1803)	<i>Archiearis parthenias</i> , <i>A. puella</i> , <i>A. touranginii</i>
7519	<i>Archiearis puella</i> (Esper, 1787)	<i>Archiearis parthenias</i> , <i>A. notha</i> , <i>A. touranginii</i>
	<i>Archiearis touranginii</i> (BERCE, 1870)	<i>Archiearis parthenias</i> , <i>A. notha</i> , <i>A. puella</i>
7520	<b>Ennominae</b>	
7522	<i>Abraxas grossulariata</i> (Linnaeus, 1758)	-
7524	<i>Calospilos sylvata</i> (Scopoli, 1763)	-
7527	<i>Lomaspilis marginata</i> (Linnaeus, 1758)	-
7530	<i>Ligdia adustata</i> (Denis & Schiffermüller, 1775)	-
7532	<i>Stegania cararia</i> (Hübner, 1790)	-
7533	<i>Stegania trimaculata</i> (Villers, 1789)	-
7537	<i>Heliomata glarearia</i> (Denis & Schiffermüller, 1775)	<i>Ematurga atomaria</i> ♀
7539	<i>Macaria notata</i> (Linnaeus, 1758)	<i>Macaria alternata</i> , <i>M. signaria</i>
7540	<i>Macaria alternata</i> (Denis & Schiffermüller, 1775)	<i>Macaria notata</i> , <i>M. signaria</i>
7541	<i>Macaria signaria</i> (Hübner, 1809)	<i>Macaria notata</i> , <i>M. alternata</i>
7542	<i>Macaria liturata</i> (Clerck, 1759)	-
7543	<i>Macaria wauaria</i> (Linnaeus, 1758)	-
7544	<i>Macaria artesiaria</i> (Denis & Schiffermüller, 1775)	-
7545	<i>Macaria carbonaria</i> (Clerck, 1759)	-
7547	<i>Chiasmia clathrata</i> (Linnaeus, 1758)	-
7549	<i>Chiasmia aestimaria</i> (Hübner, 1809)	-
7554	<i>Bichroma famula</i> (Esper, 1787)	-
7561	<i>Isturgia limbaria</i> (Fabricius, 1775)	-
7567	<i>Itame brunneata</i> (Thunberg, 1784)	-
7570	<i>Tephрина murinaria</i> (Denis & Schiffermüller, 1775)	<i>Tephрина arenacearia</i> in gewissen Farbvariationen
7571	<i>Tephрина arenacearia</i> (Denis & Schiffermüller, 1775)	<i>Tephрина murinaria</i> in gewissen Farbvariationen
7583	<i>Rhoptria asperaria</i> (Hübner, 1817)	-
7588	<i>Pygmaena fusca</i> (Thunberg, 1792)	<i>Glacies alpinata</i> , <i>G. wehrlii</i> , <i>G. bentelii</i>
7594	<i>Cepphis advenaria</i> (Hübner, 1790)	-
7596	<i>Petrophora chlorosata</i> (Scopoli, 1763)	-
7606	<i>Plagodis pulveraria</i> (Linnaeus, 1758)	<i>Pungeleria capreolaria</i> in gewissen Farbvariationen
7607	<i>Plagodis dolabraria</i> (Linnaeus, 1767)	-
7609	<i>Pachycnemia hippocastanaria</i> (Hübner, 1799)	<i>Alsophila aescularia</i>
7613	<i>Opisthograptis luteolata</i> (Linnaeus, 1758)	-
7615	<i>Epione repandaria</i> (Hufnagel, 1767)	<i>Epione vespertaria</i>
7616	<i>Epione vespertaria</i> (Linnaeus, 1767)	<i>Epione repandaria</i>

7620	<i>Pseudopanthera macularia</i> (Linnaeus, 1758)	-
7624	<i>Eilicrinia trinotata</i> (Metzner, 1845)	-
7628	<i>Hypoxystis pluviaria</i> (Fabricius, 1787)	<i>Artiora evonymaria</i>
7630	<i>Apeira syringaria</i> (Linnaeus, 1758)	-
7632	<i>Ennomos autumnaria</i> (Werneburg, 1859)	alle anderen <i>Ennomos</i>
7633	<i>Ennomos quercinaria</i> (Hufnagel, 1767)	alle anderen <i>Ennomos</i>
7634	<i>Ennomos alniaria</i> (Linnaeus, 1758)	alle anderen <i>Ennomos</i>
7635	<i>Ennomos fuscantaria</i> (Haworth, 1809)	alle anderen <i>Ennomos</i>
7636	<i>Ennomos erosaria</i> (Denis & Schiffermüller, 1775)	alle anderen <i>Ennomos</i>
7637	<i>Ennomos quercaria</i> (Hübner, 1813)	alle anderen <i>Ennomos</i>
7641	<i>Selenia dentaria</i> (Fabricius, 1775)	<i>Selenia lunularia</i> , <i>S. tetralunaria</i>
7642	<i>Selenia lunularia</i> (Hübner, 1788)	<i>Selenia dentaria</i> , <i>S. tetralunaria</i>
7643	<i>Selenia tetralunaria</i> (Hufnagel, 1767)	<i>Selenia dentaria</i> , <i>S. lunularia</i>
7645	<i>Artiora evonymaria</i> (Denis & Schiffermüller, 1775)	<i>Hypoxystis pluviaria</i>
7647	<i>Odontopera bidentata</i> (Clerck, 1759)	-
7652	<i>Crocallis tusciaria</i> (Borkhausen, 1793)	<i>Crocallis elinguaris</i>
7654	<i>Crocallis elinguaris</i> (Linnaeus, 1758)	<i>Crocallis tusciaria</i>
7659	<i>Ourapteryx sambucaria</i> (Linnaeus, 1758)	-
7663	<i>Colotois pennaria</i> (Linnaeus, 1761)	-
7665	<i>Angerona prunaria</i> (Linnaeus, 1758)	-
7671	<i>Apocheima hispidaria</i> (Denis & Schiffermüller, 1775)	<i>Lycia hirtaria</i>
7672	<i>Apocheima pilosaria</i> (Denis & Schiffermüller, 1775)	-
7674	<i>Lycia hirtaria</i> (Clerck, 1759)	<i>Apocheima hispidaria</i>
7675	<i>Lycia alpina</i> (Sulzer, 1776)	<i>Lycia pomonaria</i> , <i>Lycia graecarius</i> , <i>Lycia zonaria</i> ♀
7676	<i>Lycia graecarius</i> (Staudinger, 1861)	<i>Lycia alpina</i> , <i>Lycia pomonaria</i>
7678	<i>Lycia lapponaria</i> (Boisduval, 1840)	<i>Lycia isabellae</i>
7679	<i>Lycia isabellae</i> (Harrison, 1914)	<i>Lycia lapponaria</i>
7680	<i>Lycia zonaria</i> (Denis & Schiffermüller, 1775)	<i>Lycia alpina</i> ♀
7681	<i>Lycia pomonaria</i> (Hübner, 1790)	<i>Lycia alpina</i> , <i>Lycia graecarius</i>
7685	<i>Biston strataria</i> (Hufnagel, 1767)	-
7686	<i>Biston betularia</i> (Linnaeus, 1758)	-
7693	<i>Agriopsis leucophaearia</i> (Denis & Schiffermüller, 1775)	<i>Agriopsis bajaria</i> (gewisse Formen)
7694	<i>Agriopsis bajaria</i> (Denis & Schiffermüller, 1775)	<i>Agriopsis leucophaearia</i> (gewisse Formen)
7695	<i>Agriopsis aurantiaria</i> (Hübner, 1799)	<i>Agriopsis marginaria</i> , <i>Erannis defoliaria</i> (gewisse Formen)
7696	<i>Agriopsis marginaria</i> (Fabricius, 1776)	<i>Agriopsis aurantiaria</i>
7699	<i>Erannis defoliaria</i> (Clerck, 1759)	<i>Agriopsis aurantiaria</i> (gewisse Formen)
7706	<i>Crocota tinctaria</i> (Hübner, 1799)	<i>Crocota pseudotinctaria</i>
7706,1	<i>Crocota pseudotinctaria</i> Leraut, 1999	<i>Crocota tinctaria</i>
7707	<i>Crocota niveata</i> (Scopoli, 1763)	<i>Crocota tinctaria</i> (♀ wenn abgeflogen)
7713	<i>Eurranthia plummistaria</i> (Villiers, 1789)	-
7715	<i>Nychiodes obscuraria</i> (Villers, 1789)	<i>Nychiodes dalmatina</i>
7720	<i>Nychiodes dalmatina</i> Wagner, 1909	<i>Nychiodes obscuraria</i>

7724	Menophra abruptaria (Thunberg, 1792)	Menophra nycthemeraria
7727	Menophra nycthemeraria (Geyer, 1831)	Menophra abruptaria
7733	Synopsia sociaria (Hübner, 1799)	Paraboarmia viertlii (gewisse Formen)
7743	Paraboarmia viertlii (Bohatsch, 1883)	Synopsia sociaria (gewisse Formen)
7752	Sciadia tenebraria (Esper, 1806)	Glacies alpinata
7754	Peribatodes rhomboidaria (Denis & Schiffermüller, 1775)	Peribatodes secundaria, P. perversaria
7760	Peribatodes perversaria (Boisduval, 1840)	Peribatodes rhomboidaria, P. secundaria
7761	Peribatodes umbraria (Hübner, 1809)	-
7762	Peribatodes secundaria (Denis & Schiffermüller, 1775)	Peribatodes rhomboidaria, P. perversaria
7767	Selidosema brunnearia (Villers, 1789)	Selidosema plumaria
7768	Selidosema plumaria (Denis & Schiffermüller, 1775)	Selidosema brunnearia
7769	Selidosema taeniolaria (Hübner, 1813)	-
7770	Selidosema ambustaria (Geyer, 1831)	-
7773	Cleora cinctaria (Denis & Schiffermüller, 1775)	-
7775	Deileptenia ribeata (Clerck, 1759)	-
7777	Alcis repandata (Linnaeus, 1758)	-
7778	Alcis bastelbergeri (Hirschke, 1908)	-
7779	Alcis jubata (Thunberg, 1788)	-
7781	Arichanna melanaria (Linnaeus, 1758)	-
7783	Hypomecis roboraria (Denis & Schiffermüller, 1775)	Hypomecis punctinalis
7784	Hypomecis punctinalis (Scopoli, 1763)	Hypomecis roboraria
7790	Cleorodes lichenaria (Hufnagel, 1767)	-
7792	Fagivorina arenaria (Hufnagel, 1767)	-
7794	Ascotis selenaria (Denis & Schiffermüller, 1775)	-
7796	Ectropis crepuscularia (Denis & Schiffermüller, 1775)	-
7798	Paradarisa consonaria (Hübner, 1799)	-
7800	Parectropis similaria (Hufnagel, 1767)	-
7802	Aethalura punctulata (Denis & Schiffermüller, 1775)	-
7804	Ematurga atomaria (Linnaeus, 1758)	Heliomata glarearia
7807	Adactylotis contaminaria (Hübner, 1813)	-
7812	Tephronia sepiaria (Hufnagel, 1767)	-
7813	Tephronia cremiaria (Freyer, 1837)	-
7822	Bupalus piniaria (Linnaeus, 1758)	-
7824	Cabera pusaria (Linnaeus, 1758)	Cabera exanthemata, Scopula subpunctaria, Scopula caricaria, S. nemoraria, S. immutata (helle Formen)
7826	Cabera exanthemata (Scopoli, 1763)	Cabera pusaria, Scopula subpunctaria, Scopula caricaria, S. nemoraria, S. immutata (helle Formen)
7828	Lomographa bimaculata (Fabricius, 1775)	-
7829	Lomographa temerata (Denis & Schiffermüller, 1775)	-
7831	Aleucis distinctata (Herrich-Schäffer, 1839)	Theria rupicapraria, T. primaria
7833	Theria rupicapraria (Denis & Schiffermüller, 1775)	Aleucis distinctata, Theria primaria
7834	Theria primaria (Haworth, 1809)	Aleucis distinctata, Theria rupicapraria
7836	Campaea margaritata (Linnaeus, 1767)	-

7837	<i>Campaea honoraria</i> (Denis & Schiffermüller, 1775)	-
7839	<i>Hylaea fasciaria</i> (Linnaeus, 1758)	-
7844	<i>Pungeleria capreolaria</i> (Denis & Schiffermüller, 1775)	<i>Plagodis pulveraria</i> (in gewissen Farbvariationen)
7847	<i>Gnophos furvata</i> (Denis & Schiffermüller, 1775)	<i>Gnophos obfusca</i>
7848	<i>Gnophos obfusca</i> (Denis & Schiffermüller, 1775)	<i>Gnophos furvata</i>
7852	<i>Odontognophos dumetata</i> (Treitschke, 1827)	-
7857	<i>Charissa obscurata</i> (Denis & Schiffermüller, 1775)	<i>Charissa onustaria</i> , <i>C. ambiguata</i> ,
7862	<i>Charissa ambiguata</i> (Duponchel, 1830)	<i>Charissa obscurata</i> , <i>C. onustaria</i>
7865	<i>Charissa onustaria</i> (Herrich-Schäffer, 1852)	<i>Charissa obscurata</i> , <i>C. ambiguata</i>
7870	<i>Charissa pullata</i> (Denis & Schiffermüller, 1775)	<i>Charissa glaucinaria</i> , <i>C. crenulata</i> ,
7871	<i>Charissa crenulata</i> (Staudinger, 1871)	<i>Charissa glaucinaria</i> , <i>C. pullata</i>
7872	<i>Charissa italohelveticus</i> (Rezbanyai-Reser, 1986)	<i>Charissa glaucinaria</i>
7875	<i>Charissa intermedia</i> (Wehrli, 1917)	<i>Charissa glaucinaria</i>
7878	<i>Charissa glaucinaria</i> (Hübner, 1799)	<i>Charissa pullata</i> , <i>C. crenulata</i> , <i>C. italohelveticus</i> , <i>C. intermedia</i>
7880	<i>Charissa variegata</i> (Duponchel, 1830)	<i>Charissa mucidaria</i>
7882	<i>Charissa mucidaria</i> (Hübner, 1799)	<i>Charissa variegata</i>
7886	<i>Charissa pentheri</i> (Rebel, 1904)	-
7889	<i>Elophos dilucidaria</i> (Denis & Schiffermüller, 1775)	<i>Elophos vittaria</i>
7891	<i>Elophos serotinaria</i> (Denis & Schiffermüller, 1775)	<i>Elophos dognini</i>
7892	<i>Elophos dognini</i> (Thierry-Mieg, 1910)	<i>Elophos serotinaria</i>
7893	<i>Elophos vittaria</i> (Thunberg, 1788)	<i>Elophos dilucidaria</i> , <i>E. operaria</i>
7895	<i>Elophos zelleraria</i> (Freyer, 1836)	<i>Elophos unicoloraria</i>
7896	<i>Elophos unicoloraria</i> (Staudinger, 1871)	<i>Elophos zelleraria</i>
7897	<i>Elophos caelibaria</i> (Heydenreich, 1851)	-
7899	<i>Elophos operaria</i> (Hübner, 1813)	<i>Elophos vittaria</i>
7900	<i>Elophos andereggaria</i> (La Harpe, 1853)	<i>Elophos unicoloraria vallesiarum</i>
7902	<i>Psodos quadrifaria</i> (Sulzer, 1776)	-
7904	<i>Glacies alticolaria</i> (Mann, 1853)	-
7906	<i>Glacies canaliculata</i> (Hochenwarth, 1785)	<i>Glacies coracina</i>
7907	<i>Glacies bentelii</i> (Rätzer, 1890)	<i>Glacies wehrlii</i> , <i>Pygmaena fusca</i>
7909	<i>Glacies noricana</i> (Wagner, 1898)	-
7910	<i>Glacies coracina</i> (Esper, 1805)	<i>Glacies canaliculata</i>
7911	<i>Glacies alpinata</i> (Scopoli, 1763)	<i>Sciadia tenebraria</i>
7912	<i>Glacies wehrlii</i> (Vorbrott, 1918)	<i>Glacies bentelii</i> , <i>Pygmaena fusca</i>
7916	<i>Siona lineata</i> (Scopoli, 1763)	-
7922	<i>Aspitates gilvaria</i> (Denis & Schiffermüller, 1775)	-
7939	<i>Perconia strigillaria</i> (Hübner, 1787)	<i>Scopula umbelaria</i> (nur helle Formen von <i>Perconia strigillaria</i> )
7949	<b>Oenochrominae</b>	
7951	<i>Epirranthis diversata</i> (Denis & Schiffermüller, 1775)	-
7953	<i>Alsophila aescularia</i> (Denis & Schiffermüller, 1775)	<i>Alsophila aceraria</i> nur ♀, <i>Pachynemia hippocastanaria</i>

7954	<i>Alsophila aceraria</i> (Denis & Schiffermüller, 1775)	<i>Alsophila aescularia</i> nur ♀
7959	<b>Geometrinae</b>	
7961	<i>Aplasta ononaria</i> (Fuessly, 1783)	<i>Phytometra viridaria</i> ( <i>[Noctuidae]</i> , braune Form)
7965	<i>Pseudoterpna pruinata</i> (Hufnagel, 1767)	<i>Pseudoterpna coronillaria</i> (nicht in der Schweiz)
7969	<i>Geometra papilionaria</i> (Linnaeus, 1758)	-
7971	<i>Comibaena bajularia</i> (Denis & Schiffermüller, 1775)	-
7975	<i>Antonechloris smaragdaria</i> (Fabricius, 1787)	-
7980	<i>Hemithea aestivaria</i> (Hübner, 1789)	<i>Thalera fimbrialis</i>
7982	<i>Chlorissa viridata</i> (Linnaeus, 1758)	<i>Chlorissa cloraria</i>
7983	<i>Chlorissa cloraria</i> (Hübner, 1813)	<i>Chlorissa viridata</i>
7984	<i>Chlorissa etruscaria</i> (Zeller, 1849)	-
7998	<i>Thalera fimbrialis</i> (Scopoli, 1763)	<i>Hemithea aestivaria</i>
8000	<i>Hemistola chrysoprasaria</i> (Esper, 1795)	-
8002	<i>Jodis lactearia</i> (Linnaeus, 1758)	<i>Jodis putata</i>
8003	<i>Jodis putata</i> (Linnaeus, 1758)	<i>Jodis lactearia</i>
8010	<b>Sterrhinae</b>	
8012	<i>Cyclophora pendularia</i> (Clerck, 1759)	<i>Cyclophora albipunctata</i> f. <i>decoraria</i>
8013	<i>Cyclophora albiocellaria</i> (Hübner, 1789)	-
8014	<i>Cyclophora annularia</i> (Fabricius, 1775)	-
8016	<i>Cyclophora albipunctata</i> (Hufnagel, 1767)	<i>Cyclophora pendularia</i>
8017	<i>Cyclophora pupillaria</i> (Hübner, 1799)	-
8018	<i>Cyclophora ruficiliaria</i> (Herrich-Schäffer, 1855)	<i>Cyclophora quercimontaria</i> , <i>C. linearia</i> f. <i>strabonaria</i> , <i>C. punctaria</i> , <i>C. suppunctaria</i> (2. Gen.)
8019	<i>Cyclophora porata</i> (Linnaeus, 1767)	<i>Cyclophora quercimontaria</i> , <i>C. ruficiliaria</i> , <i>C. punctaria</i>
8020	<i>Cyclophora quercimontaria</i> (Bastelberger, 1897)	<i>Cyclophora ruficiliaria</i> , <i>C. linearia</i> f. <i>strabonaria</i> , <i>C. punctaria</i> , <i>C. suppunctaria</i> (2. Gen.)
8022	<i>Cyclophora punctaria</i> (Linnaeus, 1758)	<i>Cyclophora ruficiliaria</i> , <i>C. linearia</i> f. <i>strabonaria</i> , <i>C. quercimontaria</i> , <i>C. suppunctaria</i> (2. Gen.)
8023	<i>Cyclophora suppunctaria</i> (Zeller, 1847)	<i>Cyclophora ruficiliaria</i> (1. Gen. von <i>C. suppunctaria</i> ), <i>C. linearia</i> f. <i>strabonaria</i> , <i>C. punctaria</i> , <i>C. quercimontaria</i>
8024	<i>Cyclophora linearia</i> (Hübner, 1799)	<i>Cyclophora ruficiliaria</i> , <i>C. quercimontaria</i> , <i>C. punctaria</i> , <i>C. suppunctaria</i> (2. Gen.)
8028	<i>Timandra comae</i> A. Schmidt, 1931	<i>Scopula imitaria</i>
8036	<i>Scopula immorata</i> (Linnaeus, 1758)	-
8038	<i>Scopula corrivalaria</i> (Kretschmar, 1862)	<i>Scopula immutata</i>
8039	<i>Scopula caricaria</i> (Reutti, 1853)	<i>Scopula subpunctaria</i> , <i>S. nemoraria</i> , <i>S. immutata</i> (helle Formen), <i>Cabera exanthemata</i> , <i>Cabera pusaria</i>
8040	<i>Scopula nemoraria</i> (Hübner, 1799)	<i>Scopula subpunctaria</i> , <i>S. caricaria</i> , <i>S. immutata</i> (helle Formen), <i>Cabera exanthemata</i> , <i>Cabera pusaria</i>
8041	<i>Scopula umbelaria</i> (Hübner, 1813)	<i>Scopula macilentaria</i> , <i>Perconia strigillaria</i> (helle Formen), <i>Scopula nigropunctata</i>
8042	<i>Scopula nigropunctata</i> (Hufnagel, 1767)	<i>Idaea macilentaria</i> , <i>Scopula umbelaria</i>
8043	<i>Scopula virgulata</i> (Denis & Schiffermüller, 1775)	<i>Idaea sylvestraria</i>
8045	<i>Scopula ornata</i> (Scopoli, 1763)	<i>Scopula decorata</i>

8048	Scopula submutata (Treitschke, 1828)	Scopula marginepunctata
8051	Scopula decorata (Denis & Schiffermüller, 1775)	Scopula ornata
8054	Scopula rubiginata (Hufnagel, 1767)	Idaea ochrata
8059	Scopula marginepunctata (Goeze, 1781)	Idaea typicata, I. contiguaria, I. vesubiata, Scopula submutata (helle Form), Glossotrophia confinaria
8060	Scopula incanata (Linnaeus, 1758)	Scopula marginepunctata, Idaea typicata
8061	Scopula luridata (Zeller, 1847)	Glossotrophia confinaria, Scopula marginepunctata, Scopula submutata (helle Form)
8062	Scopula imitaria (Hübner, 1799)	Timandra comae
8064	Scopula immutata (Linnaeus, 1758)	Scopula corrivalaria
8067	Scopula ternata (Schrank, 1802)	Scopula floslactata, Idaea deversaria, I. macilentaria
8069	Scopula floslactata (Haworth, 1809)	Scopula ternata, Idaea deversaria, I. macilentaria
8070	Scopula subpunctaria (Herrich-Schäffer, 1847)	Scopula caricaria, S. nemoraria, S. immutata (helle Formen), Cabera pusaria, C. exanthemata
8072	Scopula emutaria (Hübner, 1809)	-
8079	Glossotrophia confinaria (Herrich-Schäffer, 1847)	Scopula marginepunctata, Idaea typicata, I. contiguaria, I. vesubiata
8083	Glossotrophia asellaria (Herrich-Schäffer, 1847)	Glossotrophia confinaria
8088	Idaea litigiosaria (Boisduval, 1840)	-
8093	Idaea rufaria (Hübner, 1799)	Idaea ochrata, I. serpentata
8097	Idaea sericeata (Hübner, 1813)	-
8098	Idaea antiquaria (Herrich-Schäffer, 1847) (= macilentaria)	Idaea rufaria, I. ochrata (helle Formen), Scopula ternata
8099	Idaea ochrata (Scopoli, 1763)	Idaea rufaria, I. serpentata
8100	Idaea serpentata (Hufnagel, 1767)	Idaea rufaria, I. ochrata
8101	Idaea luteolaria (Constant, 1863)	Idaea aureolaria, I. flaveolaria
8102	Idaea aureolaria (Denis & Schiffermüller, 1775)	Idaea luteolaria, I. flaveolaria
8103	Idaea flaveolaria (Hübner, 1809)	Idaea luteolaria, I. aureolaria
8104	Idaea muricata (Hufnagel, 1767)	-
8107	Idaea rusticata (Denis & Schiffermüller, 1775)	Idaea filicata
8110	Idaea filicata (Hübner, 1799)	Idaea rusticata
8111	Idaea laevigata (Scopoli, 1763)	-
8116	Idaea typicata (Guenée, 1858)	Scopula marginepunctata, Glossotrophia confinaria, Idaea contiguaria, I. vesubiata
8120	Idaea moniliata (Denis & Schiffermüller, 1775)	-
8123	Idaea sylvestraria (Hübner, 1799)	Idaea pallidata, Idaea subsericeata, I. nitidata, I. deversaria
8127	Idaea calunetaria (Staudinger, 1859)	Idaea seriata, I. camparia
8131	Idaea obsoletaria (Rambur, 1833)	Idaea distinctaria
8132	Idaea biselata (Hufnagel, 1767)	Idaea trigeminata, I. politaria
8134	Idaea inquinata (Scopoli, 1763)	-
8136	Idaea dilutaria (Hübner, 1799)	Idaea fuscovenosa, I. humiliata
8137	Idaea fuscovenosa (Goeze, 1781)	Idaea dilutaria, I. humiliata
8140	Idaea humiliata (Hufnagel, 1767)	Idaea dilutaria, I. fuscovenosa
8142	Idaea politaria (Hübner, 1799)	Idaea biselata, I. trigeminata
8150	Idaea vesubiata (Millière, 1873)	Idaea typicata, I. contiguaria, Scopula marginepunctata,

		Glossotrophia confinaria
8155	Idaea seriata (Schrank, 1802)	Idaea calunetaria, I. camparia
8161	Idaea dimidiata (Hufnagel, 1767)	-
8164	Idaea camparia (Herrisch-Schäffer, 1852)	Idaea seriata, I. calunetaria
8167	Idaea subsericeata (Haworth, 1809)	Idaea pallidata, I. nitidata, I. deversaria, I. sylvestraria
8168	Idaea pallidata (Denis & Schiffermüller, 1775)	Idaea sylvestraria, I. subsericeata, I. nitidata, I. deversaria
8170	Idaea contiguaria (Hübner, 1799)	Idaea typicata, I. vesubiata, Scopula marginepunctata, Glossotrophia confinaria
8174	Idaea trigeminata (Haworth, 1809)	Idaea politaria, I. biselata
8176	Idaea distinctaria (Boisduval, 1840)	Idaea obsoletaria
8178	Idaea nitidata (Herrich-Schäffer, 1861)	Idaea subsericeata, I. pallidata, I. deversaria, I. sylvestraria
8183	Idaea emarginata (Linnaeus, 1758)	-
8184	Idaea aversata (Linnaeus, 1758)	Idaea rubraria, I. degeneraria, I. rubraria, I. straminata (zu Idaea aversata f. remutata), I. deversaria (zu Idaea aversata f. remutata)
8185	Idaea rubraria (Staudinger, 1901)	Idaea aversata, I. degeneraria
8186	Idaea degeneraria (Hübner, 1799)	Idaea rubraria, I. aversata
8187	Idaea straminata (Borkhausen, 1794)	Idaea deversaria, I. distinctaria, I. nitidata, I. sylvestraria, Idaea aversata f. remutata
8188	Idaea deversaria (Herrich-Schäffer, 1847)	Idaea subsericeata, I. pallidata, I. nitidata, I. sylvestraria, Idaea straminata
8191	Emmiltis pygmaearia (Hübner, 1809)	-
8201	Problepsis ocellata (Frivaldszky, 1845)	-
8205	Rhodostrophia vibicaria (Clerck, 1759)	Rhodostrophia calabra, R. pudorata
8206	Rhodostrophia pudorata (Fabricius, 1794)	Rhodostrophia calabra, R. vibicaria
8207	Rhodostrophia calabra (Petagna, 1786)	Rhodostrophia vibicaria, R. pudorata
8211	Rhodometra sacraria (Linnaeus, 1767)	-
8216	<b>Larentiinae</b>	
8218	Ochodontia adustaria (Fischer v. Waldheim, 1840)	-
8220	Lythria plumularia (Freyer, 1831)	-
8221	Lythria purpuraria (Linnaeus, 1758)	Lythria cruentaria (nicht in der Schweiz)
8224	Cataclysme riguata (Hübner, 1813)	-
8227	Phibalapteryx virgata (Hufnagel, 1767)	Scotopteryx coarctaria
8229	Scotopteryx moeniata (Scopoli, 1763)	Scotopteryx angularia
8230	Scotopteryx angularia (De Villers, 1789)	Scotopteryx moeniata
8232	Scotopteryx coarctaria (Denis & Schiffermüller, 1775)	Phibalapteryx virgata
8233	Scotopteryx vicinaria (Duponchel, 1830)	Scotopteryx bipunctaria, S. octodurensis
8235	Scotopteryx peribolata (Hübner, 1817)	-
8236	Scotopteryx bipunctaria (Denis & Schiffermüller, 1775)	Scotopteryx vicinaria, S. octodurensis
8237	Scotopteryx octodurensis (Favre, 1903)	Scotopteryx vicinaria, S. bipunctaria
8239	Scotopteryx chenopodiata (Linnaeus, 1758)	Larentia clavaria
8240	Scotopteryx mucronata (Scopoli, 1763)	Scotopteryx luridata

8241	<i>Scotopteryx luridata</i> (Hufnagel, 1767)	<i>Scotopteryx mucronata</i>
8245	<i>Orthonama vittata</i> (Borkhausen, 1794)	<i>Costaconvexa polygrammata</i> , <i>Orthonama obstipata</i> ♂
8246	<i>Orthonama obstipata</i> (Fabricius, 1794)	<i>Costaconvexa polygrammata</i> , <i>Orthonama vittata</i>
8248	<i>Xanthorhoe biriviata</i> (Borkhausen, 1794)	<i>Euphyia unangulata</i>
8249	<i>Xanthorhoe designata</i> (Hufnagel, 1767)	<i>Xanthorhoe decoloraria</i> (in abgeflogenen Zustand)
8251	<i>Xanthorhoe decoloraria</i> (Esper, 1806)	<i>Xanthorhoe designata</i> (in abgeflogenen Zustand)
8252	<i>Xanthorhoe spadicearia</i> (Denis & Schiffermüller, 1775)	<i>Xanthorhoe ferrugata</i>
8253	<i>Xanthorhoe ferrugata</i> (Clerck, 1759)	<i>Xanthorhoe spadicearia</i>
8254	<i>Xanthorhoe quadrifasiata</i> (Clerck, 1759)	-
8255	<i>Xanthorhoe montanata</i> (Denis & Schiffermüller, 1775)	-
8256	<i>Xanthorhoe fluctuata</i> (Linnaeus, 1758)	-
8259	<i>Xanthorhoe incursata</i> (Hübner, 1813)	-
8266	<i>Catarhoe putridata</i> (Herrich-Schäffer, 1852)	-
8268	<i>Catarhoe rubidata</i> (Denis & Schiffermüller, 1775)	<i>Pareulype berberata</i>
8269	<i>Catarhoe cuculata</i> (Hufnagel, 1767)	-
8272	<i>Epirrhoe hastulata</i> (Hübner, 1790)	<i>Epirrhoe tristata</i> , <i>Rheumaptera subhastata</i> , <i>R. hastata</i>
8273	<i>Epirrhoe pupillata</i> (Thunberg, 1788)	<i>Epirrhoe tristata</i>
8274	<i>Epirrhoe tristata</i> (Linnaeus, 1758)	<i>Epirrhoe hastulata</i> , <i>E. pupillata</i> , <i>Rheumaptera subhastata</i> , <i>R. hastata</i>
8275	<i>Epirrhoe alternata</i> (Müller, 1764)	<i>Epirrhoe rivata</i> , <i>E. galiata</i>
8277	<i>Epirrhoe rivata</i> (Hübner, 1813)	<i>Epirrhoe alternata</i> , <i>E. galiata</i>
8278	<i>Epirrhoe molluginata</i> (Hübner, 1813)	<i>Camptogramma scripturata</i>
8279	<i>Epirrhoe galiata</i> (Denis & Schiffermüller, 1775)	<i>Epirrhoe rivata</i> , <i>E. alternata</i>
8287	<i>Costaconvexa polygrammata</i> (Borkhausen, 1794)	<i>Orthonama vittata</i> , <i>Orthonama obstipata</i> ♂
8289	<i>Camptogramma bilineata</i> (Linnaeus, 1758)	-
8295	<i>Entephria nobiliaria</i> (Herrich-Schäffer, 1852)	<i>Entephria flavata</i> , <i>E. cyanata</i> , <i>E. contestata</i>
8296	<i>Entephria flavata</i> (Osthelder, 1929)	<i>Entephria nobiliaria</i> , <i>E. cyanata</i> , <i>E. contestata</i>
8297	<i>Entephria cyanata</i> (Hübner, 1809)	<i>Entephria nobiliaria</i> , <i>E. flavata</i> , <i>E. contestata</i>
8299	<i>Entephria flavicinctata</i> (Hübner, 1813)	<i>Entephria infidaria</i>
8300	<i>Entephria contestata</i> Vorbrodth & Müller-Rutz, 1913	<i>Entephria nobiliaria</i> , <i>E. flavicinctata</i> , <i>E. cyanata</i>
8301	<i>Entephria infidaria</i> (La Harpe, 1853)	<i>Entephria flavicinctata</i>
8302	<i>Entephria caesiata</i> (Denis & Schiffermüller, 1775)	-
8304	<i>Larentia clavaria</i> (Haworth, 1809)	<i>Scotopteryx chenopodiata</i>
8309	<i>Anticlea badiata</i> (Denis & Schiffermüller, 1775)	-
8310	<i>Anticlea derivata</i> (Denis & Schiffermüller, 1775)	<i>Pareulype berberata</i>
8312	<i>Mesoleuca albicillata</i> (Linnaeus, 1758)	-
8314	<i>Pelurga comitata</i> (Linnaeus, 1758)	-
8316	<i>Lampropteryx suffumata</i> (Denis & Schiffermüller, 1775)	<i>Lampropteryx otregiata</i>
8317	<i>Lampropteryx otregiata</i> (Metcalf, 1917)	<i>Lampropteryx suffumata</i>
8319	<i>Cosmorhoe ocellata</i> (Linnaeus, 1758)	-
8321	<i>Nebula salicata</i> (Denis & Schiffermüller, 1775)	<i>Nebula achromaria</i> , <i>N. ablutaria</i> , <i>N. nebulata</i> , <i>Euphyia adumbraria</i> <i>Colostygia kollariaria</i>
8321,1	<i>Nebula ablutaria</i> (Boisduval, 1840)	<i>Nebula salicata</i> , <i>N. achromaria</i> , <i>N. nebulata</i> , <i>Euphyia</i>



		adumbraria
8322	Nebula tophaceata (Denis & Schiffermüller, 1775)	-
8325	Nebula nebulata (Treitschke, 1828)	Nebula salicata, N. achromaria, N. ablutaria, Euphyia adumbraria, Colostygia aqueata
8327	Nebula achromaria (La Harpe, 1853)	Nebula salicata, N. ablutaria, N. nebulata, Euphyia adumbraria
8330	Eulithis prunata (Linnaeus, 1758)	-
8331	Eulithis testata (Linnaeus, 1761)	-
8332	Eulithis populata (Linnaeus, 1758)	Eulithis mellinata
8334	Eulithis mellinata (Fabricius, 1787)	Eulithis populata, E. pyraliata
8335	Eulithis pyraliata (Denis & Schiffermüller, 1775)	Eulithis mellinata
8338	Ecliptopera silaceata (Denis & Schiffermüller, 1775)	Ecliptopera capitata
8339	Ecliptopera capitata (Herrich-Schäffer, 1839)	Ecliptopera silaceata
8341	Chloroclysta siterata (Hufnagel, 1767)	Chloroclysta miata
8342	Chloroclysta miata (Linnaeus, 1758)	Chloroclysta siterata
8343	Chloroclysta citrata (Linnaeus, 1761)	Chloroclysta truncata
8348	Chloroclysta truncata (Hufnagel, 1767)	Chloroclysta citrata
8350	Cidaria fulvata (Forster, 1771)	-
8352	Plemyria rubiginata (Denis & Schiffermüller, 1775)	Thera vetustata
8354	Pennithera firmata (Hübner, 1822)	Thera obeliscata
8356	Thera obeliscata (Hübner, 1787)	Pennithera firmata, Thera variata
8357	Thera variata (Denis & Schiffermüller, 1775)	Thera britannica, T. cembrae
8358	Thera britannica (Turner, 1925)	Thera variata, T. cembrae
8359	Thera cembrae (Kitt, 1912)	Thera britannica, T. variata
8360	Thera vetustata (Denis & Schiffermüller, 1775)	Plemyria rubiginata
8361	Thera cognata (Thunberg, 1792)	-
8362	Thera juniperata (Linnaeus, 1758)	-
8364	Thera cupressata (Geyer, 1831)	-
8366	Eustroma reticulata (Denis & Schiffermüller, 1775)	-
8368	Electrophaes corylata (Thunberg, 1792)	-
8370	Colostygia aptata (Hübner, 1813)	Colostygia olivata
8371	Colostygia olivata (Denis & Schiffermüller, 1775)	Colostygia aptata
8374	Colostygia aqueata (Hübner, 1813)	Nebula nebulata, Euphyia adumbraria
8376	Colostygia multistrigaria (Haworth, 1809)	-
8378	Colostygia turbata (Hübner, 1799)	Spargania luctuata
8379	Colostygia kollariaria (Herrich-Schäffer, 1848)	Nebula salicata
8380	Colostygia puengeleri (Stertz, 1902)	Colostygia austriacaria
8381	Colostygia austriacaria (Herrich-Schäffer, 1852)	Colostygia puengeleri
8384	Colostygia laetaria (La Harpe, 1853)	-
8385	Colostygia pectinataria (Knoch, 1781)	-
8391	Hydriomena furcata (Thunberg, 1784)	Hydriomena impluviata, H. ruberata
8392	Hydriomena impluviata (Denis & Schiffermüller, 1775)	Hydriomena furcata, H. ruberata
8393	Hydriomena ruberata (Freyer, 1831)	Hydriomena furcata, H. impluviata

8397	Coenocalpe lapidata (Hübner, 1809)	-
8400	Horisme vitalbata (Denis & Schiffermüller, 1775)	Horisme aquata
8402	Horisme tersata (Denis & Schiffermüller, 1775)	Horisme radicularia
8403	Horisme radicularia (La Harpe, 1855)	Horisme tersata
8404	Horisme exoletata (Herrich-Schäffer, 1838)	Horisme aemulata
8407	Horisme aemulata (Hübner, 1813)	Horisme exoletata, Horisme calligraphata
8408	Horisme calligraphata (Herrich-Schäffer, 1839)	Horisme aemulata
8409	Horisme aquata (Hübner, 1813)	Horisme vitalbata
8411	Melanthia procellata (Denis & Schiffermüller, 1775)	-
8412	Melanthia alaudaria (Freyer, 1846)	-
8414	Pareulype berberata (Denis & Schiffermüller, 1775)	Catarhoe rubidata (gewisse Formen), Anticlea derivata
8417	Spargania luctuata (Denis & Schiffermüller, 1775)	Colostygia turbata
8419	Rheumaptera hastata (Linnaeus, 1758)	Rheumaptera subhastata, Epirrhoe hastulata, E. tristata
8420	Rheumaptera subhastata (Nolcken, 1870)	Rheumaptera hastata, Epirrhoe hastulata, E. tristata
8421	Rheumaptera cervinalis (Scopoli, 1763)	Triphosa dubitata, Rheumaptera montivagata
8422	Rheumaptera montivagata (Duponchel, 1830)	Rheumaptera cervinalis (helle Formen)
8423	Rheumaptera undulata (Linnaeus, 1758)	-
8427	Triphosa sabaudiata (Duponchel, 1830)	-
8428	Triphosa dubitata (Linnaeus, 1758)	Rheumaptera cervinalis, Triphosa tauteli
8428,1	Triphosa tauteli (Leraut, 2008)	Triphosa dubitata
8432	Philereme vetulata (Denis & Schiffermüller, 1775)	-
8433	Philereme transversata (Hufnagel, 1767)	-
8435	Euphyia biangulata (Haworth, 1809)	-
8436	Euphyia unangulata (Haworth, 1809)	Xanthorhoe biriviata
8437	Euphyia adumbraria (Herrich-Schäffer, 1852)	Nebula salicata, N. achromaria, N. ablutaria, N. nebulata, Colostygia aqueata
8438	Euphyia frustata (Treitschke, 1828)	-
8439	Euphyia mesembrina (Rebel, 1927)	-
8440	Euphyia scripturata (Hübner, 1799)	Epirrhoe molluginata
8442	Epirrita dilutata (Denis & Schiffermüller, 1775)	Epirrita christyi, E. autumnata
8443	Epirrita christyi (Allen, 1906)	Epirrita dilutata, E. autumnata
8444	Epirrita autumnata (Borkhausen, 1794)	Epirrita dilutata, E. christyi
8447	Operophtera brumata (Linnaeus, 1758)	Operophtera fagata
8448	Operophtera fagata (Scharfenberg, 1805)	Operophtera brumata
8454	Perizoma taeniata (Stephens, 1831)	Perizoma bifaciata, Pterapherapteryx sexalata
8455	Perizoma affinitata (Stephens, 1831)	Perizoma alchemillata, P. hydrata
8456	Perizoma alchemillata (Linnaeus, 1758)	Perizoma affinitata, P. hydrata
8457	Perizoma hydrata (Treitschke, 1829)	Perizoma affinitata, P. alchemillata
8458	Perizoma lugdunaria (Herrich-Schäffer, 1855)	-
8459	Perizoma bifaciata (Haworth, 1809)	Perizoma taeniata
8461	Perizoma minorata (Treitschke, 1828)	Perizoma incultaria
8462	Perizoma blandiata (Denis & Schiffermüller, 1775)	-

8463	Perizoma albulata (Denis & Schiffermüller, 1775)	-
8464	Perizoma flavofasciata (Thunberg, 1792)	-
8465	Perizoma didymata (Linnaeus, 1758)	-
8467	Perizoma obsoletata (Herrich-Schäffer, 1838)	Perizoma juracolaria
8467,1	Perizoma juracolaria (Wehrli, 1919)	Perizoma obsoletata
8468	Perizoma sagittata (Fabricius, 1787)	-
8469	Perizoma incultaria (Herrich-Schäffer, 1848)	Perizoma minorata
8470	Perizoma verberata (Scopoli, 1763)	-
8471	Perizoma parallelolineata (Retzius, 1783)	-
8473	Baptia tibiale (Esper, 1791)	-
8475	Eupithecia tenuiata (Hübner, 1813)	Eupithecia inturbata
8476	Eupithecia inturbata (Hübner, 1817)	Eupithecia tenuiata
8477	Eupithecia haworthiata Doubleday, 1856	Eupithecia plumbeolata
8478	Eupithecia immundata (Lienig & Zeller, 1846)	Eupithecia plumbeolata, E. thalictрата
8479	Eupithecia plumbeolata (Haworth, 1809)	Eupithecia haworthiata
8481	Eupithecia abietaria (Goeze, 1781)	Eupithecia analoga
8482	Eupithecia analoga Djakonov, 1926	Eupithecia abietaria
8483	Eupithecia linariata (Denis & Schiffermüller, 1775)	Eupithecia pulchellata, E. pyreneata, E. laquaearia
8484	Eupithecia pulchellata Stephens, 1831	Eupithecia linariata, E. pyreneata, E. laquaearia
8485	Eupithecia pyreneata Mabille, 1871	Eupithecia linariata, E. pulchellata, E. laquaearia
8486	Eupithecia laquaearia Herrich-Schäffer, 1848	Eupithecia linariata, E. pulchellata, E. pyreneata
8490	Eupithecia irriguata (Hübner, 1813)	-
8491	Eupithecia exiguata (Hübner, 1813)	-
8493	Eupithecia insigniata (Hübner, 1790)	-
8494	Eupithecia valerianata (Hübner, 1813)	Eupithecia vulgata
8495	Eupithecia pygmaea (Hübner, 1799)	-
8496	Eupithecia undata (Freyer, 1840)	Eupithecia graphata
8499	Eupithecia silenata Assmann, 1848	Eupithecia lariciata, E. undata
8500	Eupithecia dissertata (Püngeler, 1905)	Eupithecia alliararia
8501	Eupithecia carpophagata Staudinger, 1871	-
8502	Eupithecia venosata (Fabricius, 1787)	Eupithecia schiefereri, E. silenicolata
8503	Eupithecia schiefereri Bohatsch, 1893	Eupithecia venosata, E. silenicolata
8504	Eupithecia silenicolata Mabille, 1867	Eupithecia venosata, E. schiefereri
8505	Eupithecia alliararia Staudinger, 1870	Eupithecia dissertata
8507	Eupithecia egenaria Herrich-Schäffer, 1848	-
8508	Eupithecia extraversaria Herrich-Schäffer, 1852	Eupithecia distinctaria
8509	Eupithecia centaureata (Denis & Schiffermüller, 1775)	-
8511	Eupithecia gueneata Millière, 1862	-
8513	Eupithecia breviculata (Donzel, 1837)	-
8514	Eupithecia thalictрата (Püngeler, 1902)	Eupithecia plumbeolata
8515	Eupithecia actaeata Walderdorff, 1869	Eupithecia trisignaria, E. selinata
8516	Eupithecia selinata Herrich-Schäffer, 1861	Eupithecia trisignaria, E. actaeata

8517	<i>Eupithecia trisignaria</i> Herrich-Schäffer, 1848	<i>Eupithecia actaeata</i> , <i>E. selinata</i>
8519	<i>Eupithecia intricata</i> (Zetterstedt, 1839)	<i>Eupithecia satyrata</i> , <i>E. veratraria</i>
8520	<i>Eupithecia veratraria</i> Herrich-Schäffer, 1850	<i>Eupithecia satyrata</i> , <i>E. intricata</i>
8521	<i>Eupithecia cretacea</i> (Packard, 1874)	-
8523	<i>Eupithecia cauchiata</i> (Duponchel, 1831)	<i>Eupithecia satyrata</i> , <i>E. pernotata</i>
8525	<i>Eupithecia pernotata</i> Guenée, 1857	<i>Eupithecia cauchiata</i> , <i>E. satyrata</i>
8526	<i>Eupithecia satyrata</i> (Hübner, 1813)	<i>Eupithecia intricata</i> , <i>E. veratraria</i>
8527	<i>Eupithecia absinthiata</i> (Clerck, 1759)	<i>Eupithecia assimilata</i> , <i>E. expallidata</i>
8529	<i>Eupithecia catharinae</i> Vojnits, 1969	<i>Eupithecia absinthiata</i>
8530	<i>Eupithecia expallidata</i> Doubleday, 1856	<i>Eupithecia absinthiata</i> , <i>E. assimilata</i>
8531	<i>Eupithecia assimilata</i> Doubleday, 1856	<i>Eupithecia absinthiata</i> , <i>E. expallidata</i>
8534	<i>Eupithecia vulgata</i> (Haworth, 1809)	<i>Eupithecia valerianata</i>
8535	<i>Eupithecia tripunctaria</i> Herrich-Schäffer, 1852	-
8536	<i>Eupithecia denotata</i> (Hübner, 1813)	<i>Eupithecia absinthiata</i>
8537	<i>Eupithecia subfuscata</i> (Haworth, 1809)	<i>Eupithecia lariciata</i> , <i>E. orphnata</i> , <i>E. subumbrata</i> , <i>E. virgaureata</i>
8538	<i>Eupithecia icterata</i> (Villers, 1789)	-
8539	<i>Eupithecia succenturiata</i> (Linnaeus, 1758)	-
8540	<i>Eupithecia denticulata</i> (Treitschke, 1828)	<i>Eupithecia subumbrata</i>
8541	<i>Eupithecia impurata</i> (Hübner, 1813)	<i>Eupithecia semigraphata</i>
8543	<i>Eupithecia orphnata</i> W. Petersen, 1909	<i>Eupithecia subfuscata</i> , <i>E. lariciata</i> , <i>E. subumbrata</i>
8546	<i>Eupithecia subumbrata</i> (Denis & Schiffermüller, 1775)	<i>Eupithecia orphnata</i>
8547	<i>Eupithecia semigraphata</i> Bruand, 1850	<i>Eupithecia impurata</i>
8551	<i>Eupithecia millefoliata</i> Rössler, 1866	<i>Eupithecia egenaria</i>
8553	<i>Eupithecia simplicata</i> (Haworth, 1809)	-
8556	<i>Eupithecia distinctaria</i> Herrich-Schäffer, 1848	<i>Eupithecia extraversaria</i>
8557	<i>Eupithecia sinuosaria</i> (Eversmann, 1848)	<i>Eupithecia lanceata</i>
8558	<i>Eupithecia gemellata</i> Herrich-Schäffer, 1861	<i>Eupithecia graphata</i> , <i>E. impurata</i> , <i>E. undata</i>
8560	<i>Eupithecia graphata</i> (Treitschke, 1828)	<i>Eupithecia undata</i> , <i>E. graphata</i> , <i>E. impurata</i> ,
8565	<i>Eupithecia indigata</i> (Hübner, 1813)	<i>Eupithecia conterminata</i>
8567	<i>Eupithecia pimpinellata</i> (Hübner, 1813)	<i>Eupithecia pauxilaria</i>
8568	<i>Eupithecia pauxilaria</i> Boisduval, 1840	<i>Eupithecia pimpinellata</i>
8570	<i>Eupithecia nanata</i> (Hübner, 1813)	<i>Eupithecia innotata</i> , <i>E. ochridata</i>
8573	<i>Eupithecia innotata</i> (Hufnagel, 1767)	<i>Eupithecia nanata</i> , <i>E. ochridata</i>
8574	<i>Eupithecia ochridata</i> Schütze & Pinker, 1968	<i>Eupithecia nanata</i> , <i>E. innotata</i>
8576	<i>Eupithecia unedonata</i> (Mabille, 1868)	<i>E. innotata</i>
8577	<i>Eupithecia virgaureata</i> Doubleday, 1861	<i>Eupithecia subfuscata</i> , <i>E. lariciata</i> , <i>E. orphnata</i> , <i>E. subumbrata</i> , <i>E. silenata</i> , <i>E. tripunctaria</i>
8578	<i>Eupithecia abbreviata</i> Stephens, 1831	<i>Eupithecia dodoneata</i>
8579	<i>Eupithecia dodoneata</i> Guenée, 1857	<i>Eupithecia abbreviata</i>
8583	<i>Eupithecia pusillata</i> (Denis & Schiffermüller, 1775)	<i>Eupithecia ericeata</i> , <i>Eupithecia oxycedrata</i>
8584	<i>Eupithecia phoeniceata</i> (Rambur, 1834)	<i>Eupithecia oxycedrata</i>
8585	<i>Eupithecia ericeata</i> (Rambur, 1833)	<i>Eupithecia pusillata</i> , <i>E. oxycedrata</i>

8587	<i>Eupithecia oxycedrata</i> (Rambur, 1833)	<i>Eupithecia pusillata</i> , <i>E. ericeata</i> , <i>E. phoeniceata</i>
8592	<i>Eupithecia lanceata</i> (Hübner, 1825)	<i>Eupithecia sinuosaria</i>
8595	<i>Eupithecia lariciata</i> (Freyer, 1841)	<i>Eupithecia silenata</i> , <i>E. undata</i> , <i>E. subfuscata</i> , <i>E. orphnata</i> , <i>E. subumbrata</i>
8596	<i>Eupithecia tantillaria</i> Boisduval, 1840	<i>Eupithecia analoga</i>
8597	<i>Eupithecia conterminata</i> (Lienig & Zeller, 1846)	<i>Eupithecia indigata</i>
8599	<i>Gymnoscelis rufifasciata</i> (Haworth, 1809)	-
8601	<i>Chloroclystis v-ata</i> (Haworth, 1809)	-
8603	<i>Rhinoprora rectangulata</i> (Linnaeus, 1758)	<i>Rhinoprora chloerata</i> . <i>R. debiliata</i>
8604	<i>Rhinoprora chloerata</i> (Mabille, 1870)	<i>Rhinoprora rectangulata</i> , <i>R. debiliata</i>
8605	<i>Rhinoprora debiliata</i> (Hübner, 1817)	<i>Rhinoprora rectangulata</i> , <i>R. chloerata</i>
8607	<i>Anticollix sparsata</i> (Treitschke, 1828)	<i>Horisme aemulata</i>
8609	<i>Chesias legatella</i> (Denis & Schiffermüller, 1775)	Kann als <i>Pyralidae</i> angesehen werden.
8610	<i>Chesias rufata</i> (Fabricius, 1775)	Kann als <i>Pyralidae</i> angesehen werden.
8617	<i>Carsia sororiata</i> (Hübner, 1813)	-
8618	<i>Carsia lythoxylata</i> (Hübner, 1799)	-
8620	<i>Aplocera plagiata</i> (Linnaeus, 1758)	<i>Aplocera efformata</i>
8622	<i>Aplocera efformata</i> (Guenée, 1857)	<i>Aplocera plagiata</i>
8624	<i>Aplocera praeformata</i> (Hübner, 1826)	-
8631	<i>Odezia atrata</i> (Linnaeus, 1758)	-
8638	<i>Lithostege griseata</i> (Denis & Schiffermüller, 1775)	<i>Lithostege farinata</i> , <i>Eana argentana</i> ( <i>Tortricidae</i> ), <i>Udea austriacalis</i> ( <i>Pyralidae</i> )
8639	<i>Lithostege farinata</i> (Hufnagel, 1767)	<i>Lithostege griseata</i>
8650	<i>Discoloxia blomeri</i> (Curtis, 1832)	-
8652	<i>Venusia cambrica</i> Curtis, 1839	<i>Hydrelia sylvata</i>
8654	<i>Euchoeca nebulata</i> (Scopoli, 1763)	-
8656	<i>Asthena albulata</i> (Hufnagel, 1767)	<i>Asthena anseraria</i>
8658	<i>Asthena anseraria</i> (Herrich-Schäffer, 1855)	<i>Asthena albulata</i>
8660	<i>Hydrelia flammeolaria</i> (Hufnagel, 1767)	-
8661	<i>Hydrelia sylvata</i> (Denis & Schiffermüller, 1775)	<i>Venusia cambrica</i>
8663	<i>Minoa murinata</i> (Scopoli, 1763)	-
8665	<i>Lobophora halterata</i> (Hufnagel, 1767)	-
8667	<i>Trichopteryx polycommata</i> (Denis & Schiffermüller, 1775)	-
8668	<i>Trichopteryx carpinata</i> (Borkhausen, 1794)	-
8673	<i>Epilobophora sabinata</i> (Geyer, 1831)	-
8675	<i>Pterapherapteryx sexalata</i> (Retzius, 1783)	<i>Perizoma taeniata</i> , <i>Perizoma minorata</i>
8679	<i>Nothocasis sertata</i> (Hübner, 1817)	-
8681	<i>Acasis viretata</i> (Hübner, 1799)	<i>Acasis appensata</i>
8682	<i>Acasis appensata</i> (Eversmann, 1842)	<i>Acasis viretata</i> (graue Formen)